


How to do it even better!

The highly popular *How To Do It* series is a collection of expert advice on an enormous range of topics that doctors need to know about that are not necessarily covered in formal training.

All three volumes have now been completely updated, with new chapters, and a user friendly format where subjects are grouped into themes. Whether you want to chair a committee, improve your counselling skills with cancer patients, or even survive a formal dinner, your questions will be answered in these entertaining and practical guides.


A must for all doctors, from students through to the retired.



How to Do It Volume 1

- Management ● Employment
- Counselling


ISBN 0 7279 0848 0 272 pages April 1995
UK £12.95; Overseas £15.00
(BMA members £11.95; £14.00)



How to Do It Volume 2

- Examinations ● Academia
- Research and Communication

ISBN 0 7279 0895 2 240 pages April 1995
UK £12.95; Overseas £15.00
(BMA members £11.95; £14.00)



How to Do It Volume 3

- Writing ● Publishing and Publicity
- Something Different

ISBN 0 7279 0896 0 264 pages April 1995
UK £12.95; Overseas £15.00
(BMA members £11.95; £14.00)

Purchase the complete set at a reduced price!

ISBN 0 7279 0906 1 UK £34.95; Overseas £39.00 (BMA members £31.95; £36.00)


BMJ
Publishing
Group

Also available: How to Write a Paper Edited by G M Hall

"Highly recommended as a practical and readable guide to getting published."

Journal of the Institute of Health Education

ISBN 0 7279 0822 7 128 pages 1994 UK £8.95; Overseas £11.00 (BMA members £8.45; £10.50)



Order Form

Available from: **BMJ Publishing Group, P.O. Box 295, London WC1H 9TE, (Tel: 0171 383 6185/6245), medical booksellers or the BMJ bookshop in BMA House.**

Please send me _____ copy/ies of HOW TO DO IT VOLUME 1

Address _____

Please send me _____ copy/ies of HOW TO DO IT VOLUME 2

Please send me _____ copy/ies of HOW TO DO IT VOLUME 3

Postcode _____

Please send me _____ COMPLETE SET/S OF HOW TO DO IT

Cheque enclosed (made payable to British Medical Journal) £ _____
Debit my AMERICAN EXPRESS/VISA/MASTERCARD

Please send me _____ copy/ies of HOW TO WRITE A PAPER

Card No. _____ Exp. _____

BMA Membership No. _____

Signature _____

Name _____
(Print Clearly)

☐ Please send me a BMJ PUBLISHING GROUP CATALOGUE

"Something for the next five years sir?"



SmithKline Beecham
VACCINES



SmithKline Beecham Pharmaceuticals
Welwyn Garden City, Hertfordshire AL7 1EY.

Presentation: Each 1 ml of 'Engerix B' hepatitis B vaccine (rby), PL 10592/0015, contains 20 micrograms of hepatitis B surface antigen protein, together with thiomersal 1:20,000. Pack of 1 (1 ml) prefilled syringe containing 20 micrograms, £12.13; pack of 10 (1 ml) prefilled syringes each containing 20 micrograms, £121.30; pack of 1 (1 ml) vial containing 20 micrograms, £11.95; pack of 3 (1 ml) vials each containing 20 micrograms, £35.85; pack of 10 (1 ml) vials, £119.50; pack of 1 paediatric (0.5 ml) vial containing 10 micrograms, £8.96.

Uses: Active immunisation against infections caused by hepatitis B virus.

Dosage and administration: For intramuscular use only. Shake well and inspect before use. Three doses should be given, the

second one month and the third six months after the initial dose. For more rapid immunisation the third dose can be given two months after the initial dose with a booster at 12 months.

Adults and children over 12 years: 20 micrograms (1 ml) given intramuscularly.

Neonates and children 12 years and under: 10 micrograms (0.5 ml) given intramuscularly.

Administer in the deltoid region, though the antero-lateral thigh is the preferred site for infants. 'Engerix B' should not be administered in the buttock since this may result in lower immune response. In neonates of HBsAg positive mothers, give hepatitis B immunoglobulin at the same time as vaccine at different sites within a few hours of birth.

'Engerix B' isn't just something for the weekend. It provides up to five years' protection against hepatitis B; which means you don't have to rely on your patients using a condom every time they have sex.

So who's at risk? People who are sexually active, either with multiple partners, or who travel abroad and have casual, unprotected sex.

The fact is hepatitis B can be contracted in the same way as AIDS, but it's 100 times more infectious. Worst still, it has been found in body fluids such as sweat, saliva, even tears.

It's quite reassuring to know then that, world-wide, 'Engerix B' has protected more people against the hepatitis B virus than any other vaccine.

You can order 'Engerix B' in pre-filled syringes, by calling SmithKline Beecham on 0181-913 4290. So, even if you can't prevent your patients from picking up every sexually transmitted disease, you can give them five years' protection against hepatitis B.



ENGRIX B

Hepatitis B Vaccine (rby)

Contra-indications: Hypersensitivity to any component of the vaccine. Severe febrile infections.

Precautions: Response may be impaired in renal dialysis patients or those who are immunocompromised. Adrenaline 1:1000 should be available in case of anaphylaxis. Use in pregnancy: see Data Sheet.

Adverse reactions: Mild transient local soreness, erythema and induration at the injection site. Occasionally low grade fever, malaise, fatigue, arthralgia, arthritis, myalgia, headache, dizziness, syncope, nausea, vomiting, diarrhoea, abdominal pain, lymphadenopathy, abnormal liver function tests, rashes rarely with urticaria. Exceptionally, severe skin disorders such as erythema multiforme. Very rarely one week or more after

injection, transient arthralgia, pruritus or urticaria, but no causal relationship established.

Neurological manifestations in temporal association with the vaccine, including very rarely paraesthesia and extremely rarely paralysis, neuropathy and neuritis (including Guillain-Barré syndrome, optic neuritis and multiple sclerosis). No causal relationship established.

Early onset allergic-type reactions reported rarely.

Legal category POM. 11.8.94.

'Engerix B' is a trade mark.

© 1995 SmithKline Beecham Pharmaceuticals

0695 EB:AD/5/051



How do you...

Persuade a government to ban tobacco advertising?


Campaign against dumping of toxic waste?

Energise the fight against AIDS?



In *The Fight for Public Health*, Simon Chapman and Deborah Lupton show how lobbying through media advocacy can be a powerful tool in mobilising public support and getting public health legislation passed. Illustrated with photographs and crammed with compelling examples from around the world, this lively and entertaining guide:

- Describes what advocacy is
- Shows how public opinion has influenced public health policy in the past
- Includes an A-Z of strategies for gaining media attention.



"This splendid book moves the art of media advocacy a giant step forward. Chapman and Lupton's counsel leapfrogs continents; it will be as welcome and applicable in London and Washington as in Sydney."

Michael Pertschuk, Director, The Advocacy Institute, Washington, DC

ISBN 0 7279 0849 9
200 Pages October 1994
UK £19.95; Overseas £22.00
(BMA members £18.95; £21.00)

BMJ
Publishing Group

ORDER FORM

Available from: BMJ Publishing Group, P.O. Box 295, London WC1H 9TE (Tel: 071 383 6185/6245), medical booksellers or the BMJ bookshop in BMA House

Please send me _____ copy/ies of
THE FIGHT FOR PUBLIC HEALTH

Name _____
(Print Clearly)

Address _____

Postcode _____

BMA Membership No. _____

Cheque enclosed (made payable to British Medical Journal) £ _____
Debit my AMERICAN EXPRESS VISA MASTERCARD

Card No. _____ Exp. _____

Signature _____

☐ Please send me a BMJ PUBLISHING GROUP CATALOGUE

In the USA contact American College of Physicians, tel: 800 523 1546; in Australia contact AMA Services (WA) PTY Ltd, Tel: 389 8288

*Now you can find the information
you really need...*


Evidence-Based Medicine

Editors: B Haynes & D Sackett

With 2 million new papers published each year how can you be sure you read all the papers essential for your daily practice, and how can you be sure of the scientific soundness of what you do read? One answer to this dilemma is practising evidence based medicine, basing clinical decisions on the best available scientific evidence.

To meet this need the BMJ Publishing Group together with the American College of Physicians is launching a new journal - *Evidence - Based Medicine*. This new journal is a development of the ACP Journal Club.

Published bi-monthly *Evidence - Based Medicine*, will survey a wide range of international medical journals (at least 70) to identify the key research papers that are scientifically valid and relevant to practice.



**Launching in September 1995,
Evidence-Based Medicine will:**

- use scientific criteria to select the abstracts from the most important papers from the world's leading journals
- select only those papers which have a direct message for practice
- provide commentaries on the abstracts which will make clear the importance of the papers
- supply educational material to teach you about evidence based medicine
- cover all medical advances that are really important
- cover internal medicine, and the major specialties, including general surgery, paediatrics, obstetrics & gynaecology, psychiatry, general practice, anaesthesiology and ophthalmology.

A|C|P

Annual Subscription Rate (Volume One, 7 issues - 1995-96)
BMA Members Rate: £35, Personal Rate: £50, Institutional Rate: £80

BMJ
Publishing Group

Order Form

Evidence Based Medicine ISSN: 1357-5376 Publication: Bi-monthly
1995/96 Subscription Rate: £80 (institutional) £50 (personal); £35 (BMA members)

Please tick

- ☐ Please enter my subscription start date:
- ☐ I enclose a cheque for (Payable to British Medical Journal)
- ☐ BMA membership number
- ☐ Please send me a sample copy
- ☐ I wish to pay by credit card:
- American Express/Visa (Barclaycard)/Mastercard (Delete as appropriate)

Card No.

Expiry date:

Signature:

(Your signature is essential when paying by credit card)

Name:

Address:

.....

..... Present Position

Please tick this box if you do not wish your data to be used for direct marketing purposes

N.B. Subscribers in Italy must add 10% to the quoted sterling price, unless they can provide an IVA registration number. Subscribers in the Irish Republic must add 21% VAT to the quoted sterling price, unless they can provide VAT registration number. Subscribers in Belgium must add 6% TVA/BTW to the quoted sterling price, unless they can provide a TVA/BTW registration number.

Return to: BMJ Publishing Group, Journals Marketing Department, PO Box 299, London WC1H 9TD UK Tel: 0171 383 6270 Fax: 0171 383 6402


WANT TO GET YOUR PAPERS PUBLISHED?

Read this first!

How to Write a Paper tells you all you need to know to get a paper accepted for publication. Edited by George M Hall, with contributions from editors of international journals such as the *BMJ*, *British Journal of Anaesthesia* and *Cardiovascular Research*, it explains in refreshingly direct style what journal editors are looking for in a good paper.

Contents cover:

- How to approach the various sections of a scientific paper – abstract, introduction, methods, results, discussion, and references
- How to write case reports and reviews
- The publishing process – the role of the editor, assessor, publisher, house style and electronic publishing



ISBN 07279 0822 7 126pp 1994
UK £8.95; Overseas £11.00
BMA Members: £8.45; Overseas £10.50

Available from: BMJ Publishing Group, PO Box 295, London WC1H 9TE (tel: 071 383 6185/6245), medical booksellers or the BMJ bookshop in BMA House.

MEMBERSHIP OF THE FACULTY OF FAMILY PLANNING AND REPRODUCTIVE HEALTH CARE

The MFFP examination consists of:

- ◆ **Part 1** Multiple choice question paper (MCQ)

Dissertation

- ◆ **Part 2** (Entry to part two depends on having held the DFFP for at least two years).

There are three components:

- Modified Essay Question paper (MEQ)
- Critical Reading Question paper (CRQ)
- Objective Structured Clinical examination (OSCE)


- ◆ The Faculty Board may allow those whose degrees do not qualify them for full Registration with the GMC to enter Part 2.
- ◆ Closing dates for application for entry to Part 1 are 1st January and 1st July.
- ◆ The qualification is subject to re-certification every five years.

Regulations available on application to:

The Examinations Secretary,
Faculty of Family Planning and Reproductive Health Care,
of the Royal College of Obstetricians and Gynaecologists
27 Sussex Place,
Regent's Park,
London NW1 4RG, UK
Tel. 0171 723 3175



Fuzzy about Logic? You should read...



LOGIC IN MEDICINE

2ND EDITION

Edited by Calbert I Philips

Logic in Medicine brings together a team of eminent doctors, scientists and philosophers to explain the process behind clinical diagnoses and management decisions.

This new revised edition features:

- An overview of the general philosophy of logic in medicine, in particular, diagnostic logic
- Clarification of difficult subjects such as Bayes's Theorem of pattern recognition
- New chapters on current major issues including: Clinical Decision Making, Statistics, Medical Law, Sociology and Medical Ethics

ISBN 0 7279 0854 5 232 pages September 1995
UK £14.95 Overseas £17.00 (BMA Members £13.95; £16.00)

Order your copy now

from BMJ Publishing Group, PO Box 295,
London WC1H 9TE or phone our credit card hotline
on 0171 383 6185/6245 (Fax: 0171 383 6662)

BMJ
Publishing
Group

NEW WARTICON CREAM



La Crème de la Crème

New Warticon Cream is the first ever podophyllotoxin cream for the self-treatment of genital warts.

The cream combines the well proven efficacy¹ and good tolerability² of podophyllotoxin in an easy to use formulation.

Men and women will find that new Warticon Cream, with its discreet tube and simple application, adds convenience and dignity to the self-treatment of genital warts.

NEW
Warticon
cream

Podophyllotoxin 0.15% w/w

The cream of self-treatment for genital warts

Abbreviated Prescribing Information

Warticon Cream Presentation: White homogeneous cream containing 0.15% w/w podophyllotoxin.
Uses: For the topical treatment of condyloma acuminata affecting the penis, and the female external genitalia. **Dosage and Administration:** The affected area should be thoroughly washed with soap and water, and dried prior to application. Using a fingertip, Warticon Cream is applied twice daily for 3 days using only enough cream to just cover each wart. The hands should be thoroughly washed after each application. Residual warts should be treated with further courses of twice daily applications for 3 days at weekly intervals, if necessary, for a total of 4 weeks of treatment. Where lesions are greater in area than 4cm² it is recommended that treatment takes place under the direct supervision of medical staff. **Contraindications, Warnings etc:** Open wounds, hypersensitivity to podophyllotoxin. Avoid contact with the eyes. In the event of the preparation entering the eye, the eye should be thoroughly bathed in water. Prolonged contact with healthy skin should be avoided, as the cream contains an active pharmaceutical substance that could be harmful to healthy skin. **Side Effects:** Local irritation

may occur on second or third day of application associated with the start of wart necrosis. In the majority of cases the reactions are mild (see Data Sheet). **Use in Pregnancy:** Do not use during pregnancy or lactation. **Overdosage:** There have been no reported overdoses with Warticon Cream. No specific antidote is known. In the event of accidental ingestion give emetic or stomach washout. Treatment should be symptomatic and in severe oral overdose ensure the airway is clear and give fluids, check and correct electrolyte balance, monitor blood gases and liver function. Blood count should be monitored for at least five days. **Pharmaceutical Precautions:** Product should be stored room temperature. **Legal Category:** POM. **Package Quantities:** Single tube containing 5g of Warticon Cream. The pack also contains a mirror to facilitate accurate application. **Basic NHS Price:** Warticon Cream 5g £17.40. **Product Licence Number:** PL 3863/0010. **Date of Preparation:** March 1995. **References:** 1. Kinghorn, G. et al. International Journal of STD & AIDS 1993; 4: 194-199. 2. Strand, A. et al. 1995 In press



Perstorp Pharma

Further information is available from: Perstorp Pharma Ltd, Intec 2, Wade Road, Basingstoke, Hants RG24 8NE. Tel: 01256 477868. Fax: 01256 215

and Warticon are registered trademarks